
# NOVA

# Dress Your Kitchen

2020-2021




The information contained in the catalog, such as the technical characteristics of the products or components, dimensions, colours, etc., are merely indicative, due to the technical specifications and the technological evolution of the company's products. The binding data may be provided from time to time and upon explicit request. In order to improve the quality of the product, Nova reserves the right to modify it without prior notice and also after accepting the order. The company reserves the right to make partial or total changes to the products without notice, disclaiming any responsibility for any inaccurate data.



Going beyond the SURFACE





### **SECOND SKIN**

Maximum takes shape and becomes furnishing




We see with our eyes, and we see beauty everywhere.

We experience the way of communication with the surrounding environment and beauty through the sense of touch. Touch and sight are the senses that guide people with aesthetics and architectural choices to coexist with other spaces. Nova means the new feeling

با چشم می بینیم و زیبایی را به تماشا می نشینیم، با مس لامسه راه ارتباطی با ممیط پیرامون و زیبایی ها را تجربه می کنیم. لامسه و بینایی مواسی هستند که افراد را در انتخاب های زیباشناختی و معمارانه جهت همزیستی با فضاهای اطراف خود، راهنمایی می کند.نووا یعنی همان مس جدید .








The creation of any beauty depends on the way that its creator sees it. Inspiration from nature, creating diversity in designs and surfaces. This feature brings creativity in design and boundless beauty. Nova means variety in attitude.

آفرینش هر زیبایی ،بستگی به نوع نگرش آفریننده ی آن دارد . الهاه از طبیعت موجب ایجاد تنوع در طرح ها و سطوع میشود همین ویژگی فلاقیت در طرامی و زیبایی بی مد و مرز را به ارمغان می آورد . نووا یعنی تنوع در نگرش .





### DRESS UP YOUR KITCHEN

The secret of beauty lies in just 12.5 millimetres




Creativity in interior design to achieve charming and special surfaces requires products that are easy to form with high usability. Nova means formability.


فلاقیت در طرامی دافلی جهت دست یافتن به سطومی جذاب و فاص ، نیازمند محصولاتی است که قابلیت شکل پذیری آسان با امکان کاربری بالا داشته باشد. نووا یعنی شکل پذیری .



BLACK TOUCH CALACATTA TECHNICAL ORIENTAL LIGHT BEAUTY ORO GREY CARAVAGGIO VENICE GREY BIANCO











FIREPLACES AND FURNITURE

COUNTER TOPS

OUTDOOR WORKTOPS





# BIANCO

6010 6015





### Countertop:

### Bianco

6010 Matt 300x150 cm



### Countertop:

**Bianco** 6010 Matt 300x150 cm



### BIANCO

A combination of thick and subtle veins crossing a pure white background provides the Bianco with a design that exudes elegance and decorates any space where it's used with a touch of freshness, class and beauty. The Bianco is a material that is in high demand nowadays due  $\,$ to the global trend to use white veined marble in homes.

Code:6010

NAME	BIANCO
CODE	6010
THICKNESS	12.5 mm
GRADE	A
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm





COLOR BODY



MATT



HIGH RESOLUTION



12.5 mm



Book Match

Bianco 150x300cm Matt







MATT




HIGH RESOLUTION



12.5 mm





NAME	BIANCO
CODE	6010-6015
THICKNESS	12.5 mm
GRADE	Α
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm









FIREPLACES AND FURNITURE

COUNTER TOPS

OUTDOOR WORKTOPS





VANITY TOPS

# CALACATTA ORO

6000





### Countertop:

### Calacatte oro

6000 Matt 300x150 cm



### Countertop:

### Calacatte oro

6000 Matt 300x150 cm




MATT

### CALACATTA ORO

Nova model offers a design with a very well-distributed and uniform golden vein all along the slab which optimizes its use irrespective of the type of use or format. The greyish mesh with subtle hints of gold lies on a bright white background which brings light and vitality to the place where it is used.


Code:6000

NAME	CALACATTE ORO
CODE	6000
THICKNESS	12.5 mm
GRADE	A
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm











FIREPLACES AND FURNITURE

COUNTER TOPS

OUTDOOR WORKTOPS





VANITY TOPS

# VENICE

6020





### Countertop:

### Venice

6020 Matt 300x150 cm



### Dinning Table

**Venice** 6020 Matt 300x150 cm




MATT

### **VENICE**

A homage to White Quartzite, one of the most popular stone patterns currently on the market, it has an enrapturing neutral tone, combining a creamy white background with subtle veining in deep black. Using a special technique, Nova was able to create an inward relief exactly where the veins are, delivering an original texture which is pleasing to the touch and evokes the soaring beauty of the alpine landscape.


### Code:6020

NAME	VENICE
CODE	6020
THICKNESS	12.5 mm
GRADE	A
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm











FIREPLACES AND FURNITURE

COUNTER TOPS

OUTDOOR WORKTOPS





VANITY TOPS

BOATS AND YACHTS

### **ORIENTAL GREY**

6030





### Vanity Top:

**Oriental Grey** 6030 Matt 300x150 cm



### Countertop:

**Oriental Grey** 6030 Matt 300x150 cm




### **ORIENTAL GREY**

Evokes an icy surface creased by fine and clear veins. It offers a very balanced and uniform translucent design. Inspired by the classic and long-lasting marble trend.


# Code:6030

NAME	BIANCO
CODE	6010-6015
THICKNESS	12.5 mm
GRADE	A
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm











FIREPLACES AND FURNITURE

COUNTER TOPS

OUTDOOR WORKTOPS





VANITY TOPS

### **TOUCH LIGHT GREY**

6040 6045





### ${\bf Countertop:}$


### Touch Light Grey

6040 Matt 300x150 cm



### Countertop:

**Touch Light Grey** 6040 Matt 300x150 cm



### **TOUCH LIGHT GREY**

The most dazzling Soapstone colour is a dark grey with white veins that twist and turn in every direction, as if they were drawn on a slate with chalk.

Code:6040

NAME	TOUCH LIGHT GREY
CODE	6040
THICKNESS	12.5 mm
GRADE	А
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm



COLOR BODY







HIGH Resolution









56

Touch Light Grey 150x300cm Book Match Face-A 6040 Face-B 6045 Matt



COLOR BODY



MATT



HIGH RESOLUTION




12.5 mm






NAME	TOUCH LIGHT GREY
CODE	6040-6045
THICKNESS	12.5 mm
GRADE	A
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm









FIREPLACES AND FURNITURE

COUNTER TOPS

OUTDOOR WORKTOPS





VANITY TOPS

# **BLACK BEAUTY**

6060





### Countertop:

Black Beauty 6060 Matt 300x150 cm



### Vanity Top:

Black Beauty 6060 Matt 300x150 cm




### **BLACK BEAUTY**


It is the Nova response to a timeless monochromatic trend that transcends interior design, fashion and architecture; this model is one of the major designs for 2017. Inspired by Spanish marble, Nero Marquina is proof of the technical expertise of TheSize. Achieving pure white veins on an absolutely sober black background requires completely innovative technique and technology.


Code:6060


NAME	BLACK BEAUT
CODE	6060
THICKNESS	12.5 mm
GRADE	A
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm











FIREPLACES AND FURNITURE

COUNTER TOPS

OUTDOOR WORKTOPS





VANITY TOPS

BOATS AND YACHTS

# CARAVAGGIO BLACK

6050





### Reception Desk:


# Caravaggio Black 6050 Matt

300x150 cm

### Caravaggio Black

6050 Matt

300x150 cm




### CARAVAGGIO BLACK

Inspired by the natural stone Port Laurent, the striking colorway features a dramatic dark background crisscrossed with veins of gold.

Code:6050

NAME	CARAVGGIO BLACK
CODE	6050
THICKNESS	12.5 mm
GRADE	A
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm



COLOR BODY



MATT



HIGH Resolution



12.5 mm





### Caravaggio Book match

150x300cm

Matt

Book Match Face-A 6050 Face-B 6055



COLOR BODY



MATT




HIGH RESOLUTION



12.5 mm





NAME	CARAVAGGIO
CODE	6050-6055
THICKNESS	12.5 mm
GRADE	A
SURFACE	MATT
BODYTYPE	COLOR BODY
SIZE	300x150cm

- .82. APPLICATIONS
- .83. DIMENSIONS AND THICKNESSES
- .84. WEIGHT FOR SLAB
- .84 SAMPLE LABLE
- .85 MAINTENANCE AND CLEANING
- .85 DAILY CLEANING

- .86 CONTACT WITH HOT OBJECTS
- .86. SCRATCH
- .87. HAZARD IDENTIFICATION
- .87. FIRST AID
- .88. TECHNICAL SPECIFICATIONS
- .89. ICONS




ابعاد و ضفامت

### DIMENSIONS AND THICKNESSES

### APPLICATIONS

By presenting its countertop collection, Nova brand was able to meet all the needs of architects in designing details such as bathrooms, kitchen counters, all kinds of ceramic furniture, etc. برنـد نــووا بــا ارائـه مجموعـه کانترتــاپ فــود توانســت پاسـفگو بــه تمــاه نیاز هــای معمــاران در طرامــی جزئیاتی مانند روشــویی ســرویس هــا، کانتــر آشــپزفانه و انــواع مبلمــان ســرامـیکی و ... با شد.

کاربری ها



Thickness	12.5 mm
Countertops	•
<u>Furniture</u>	•
BBQ and Buffet	•

# 300 x 150 cm

Size	300 x 150 cm
Thickness	12.5 mm

تميز كردن سطوع

تمیز کردن روزانه

### وزن اسلب ها

یلوگره است. Each slab of 150 x 300 weighs 130 kg.

وزن هر اسلب ۱۵۰\*۰۰۰ برابر با ۱۵۰ کیلوگره است.

نمونه ليبل

### Weight for slab

Size	300x150 cm
Thickness	12.5 mm
Grammage kg/m²	28.9 kg
Weight Complete Slab kg	130 kg


### MAINTENANCE AND CLEANING

Nova is an easy-to-clean surface as it does not absorb residues or food remains, guaranteeing good hygiene. It is also resistant to most chemical cleaning agents, although for maintenance, cleaning with a damp cloth is sufficient.

سطوم نـووا بـه رامتـی قابلیـت تمیـز کـردن دارنـد. امـکان مـذب هرگونـه مـاده طبیعـی، شـیمیایی و یـا باکتـری توسـط ایـن سـطوم امـکان پذیـر نیسـت و بـه رامتـی بـه وسـیله ی تمامـی مـواد شـوینده و انـواع دسـتمال هـا میتـوان سـطوم کانترتـاپ نـووا را تمیـز کـرد.

### SAMPLE LABLE







DAILY CLEANING

Any detergent, water or wet wipes can be used to clean the surfaces of Nova slabs daily. This has made cleaning these surfaces a very simple task for the consumer. As a result, the consumer does not need any special detergents according to any particular type of stain.

برای تمیـز کـردن روزانه سـطوع اسـلب نـووا میتـوان از هرگونه مـواد شـوینده، آب و یـا دسـتمال مرطـوب اسـتفاده کـرد. کـه ایـن امـر، تمیـز کـردن ایـن سـطوع را تبدیـل بـه کاری بسـیار ساده بـرای مصـرف کننـده کـرده اسـت.درنتیمه مصـرف کننـده را از هرنـوع مـواد شـوینده ی فـاص مطابـق بـر هـر نـوع فاصـی از لـک بـی نیـاز مـی کنـد.





### **CONTACT WITH HOT OBJECTS**

### تماس با اجسام داغ

### HAZARD IDENTIFICATION

### شناسایی غطر

It is safe to place hot dishes related to cooking and any kind of hot dishes on the surfaces of Nova slabs and it can be placed directly on the surface. It is also possible to use any electrical device from which heat is emitted on these surfaces.

قرار دادن ظروف داغ مربوط به آشپزی و در کل هرگونه ظرف داغ بر روی سطوع اسلب نـووا بلامانـع اسـت و میتـوان آن را بـه طـور مستقیم بـر روی سـطع قـرار داد. همچیـن امـکان اسـتفاده از هرگونـه وسـیله ی الکتریکـی کـه کـه از آن مـرارت سـطع مـی شـود بـر روی ایـن سـطوع امـکان پذیـر اسـت.

Nova surfaces do not fall into the category of hazardous materials in any way and do not pose any threat to consumer health.

سـرامیک هـای برنــد نــووا از هیـــچ نظــر در دســته بنــدی هــای مــواد فطرنــاک قــراز نمــی گیــرد و هیــچ گونــه تهدیــدی بــرای ســلامـت مصــرف کننــده ایجــاد نمــی کنــد.

### غش پذیری غش پ

Nova countertop surfaces are in 5 national standard classifications in terms of scratch resistance. This means that it can be used in environments with constant traffic and external scratching factors without any worries. For

this reason, Nova brand countertop surfaces are completely resistant to all kinds of scratches.

سطوع کانتـر تـاپ نــووا از نظـر فــش پذیــری در کلاس ۵ رده بنــدی هــای اســتاندارد ملـی قــرار میگیــرد. بــه ایــن معنـا کــه مــی تــوان از آن در ممیــط هایــی بـا ترافیــک دائــه و عوامــل فارمــی فــش دهنــده بــدون هیـــ چ نگرانــی ای اسـتفاده کــرد. بـه همیـــن دلیــل ســطوع کانترتــاپ برنــد نــووا کامــلا مقــاوه در مقابــل انــواع فــش مــی باشــد.

### FIRST AID

کمک های اولیه در مقابل آسیب ها

The material in its finished form does not require special preventive measures and does not pose any threat to consumer health.

متریال پایانی و ارائه شده توسط برند نووا هیچ گونه فطری برای سلامت مصرف کننده ایماد نمی کند لذا هیچ گونه پیشگیری ای در مقابل آن ها لازه نیست.

### TECHNICAL SPECIFICATIONS

### مشخصات فنی

### **COLORED BODY PORCELAIN TILES**

GROUP BIa-GLAZE				150X300 cm <del>X</del> 12.5 mm	
TEST DESCRIPTION STANDARD TEST METHOR		STANDARD TEST METHOD	STANDARD REQUIREMENTS	NOVA PORCELAN TILE SPECIFICATION	
Regularity characteristics	sq	Surface Quality	EN ISO 10545-2	a minimum of 95% of the tiles are to be free from visible defects	a minimum of 95% of the tiles are to be free from visible defects
		Length & Width	EN ISO 10545-2	± 0.6%	± 0.2%
		Thickness	EN ISO 10545-2	± 5%	± 3%
		Straightness Of Sides	EN ISO 10545-2	± 0.5%	± 0.2%
		Rectangularity	EN ISO 10545-2	± 0.5%	± 0.2%
		Surface Flatness: Center Curvature	EN ISO 10545-2	± 0.5%	± 0.3%
		Surface Flatness: Edge Curvature	EN ISO 10545-2	± 0.5%	± 0.3%
		Surface Flatness: Warpage	EN ISO 10545-2	± 0.5%	± 0.3%
Structural characteristics	•	Water Absorption	EN ISO 10545-3	≤ 0.5%	WA ≤ 0.4%
Bulk mechanical characteristics	↓ ↑↑ Brea	Breaking Strength*	EN ISO 10545-4	≥ 7.5mm : 1300N	Conformable
				≤ 7.5mm : 700N	
	$\displaystyle \stackrel{\textstyle \longrightarrow}{\uparrow}$	Modulus Of Rupture*	EN ISO 10545-4	≥35 N/mm2	Conformable
Surface mechanical characteristics	0	Resistance To Surface Abrasion	EN ISO 10545-7	Manufacturer to state classification	PEI Class 4-5
Thermal and hygrometric characteristics	<b>*</b>	Coefficient Of Linear Thermal Expansion	EN ISO 10545-8	Test method available	Test method available
	茶	Resistance To Thermal Shock	EN ISO 10545-9	Test method available	Test method available
	4114 5234	Crazing Resistance	EN ISO 10545-11	Required	Required
	紫	Frost Resistance	EN ISO 10545-12	Required	Required
Chemical characteristics	5	Resistance To Chemicals & Acids & Alkalis	EN ISO 10545-13	Minimum GB	GA
		Resistance To Staining	EN ISO 10545-14	Minimum Class 3	Minimum Class 4
	<u>*t</u>	Colour Resistance to UV Light	DIN 51094	No change in color	No change in color

### الاتاماد ها



Breaking Strength



Modulus Of Rupture



Resistance To Surface Abrasion



Coefficient Of Linear Thermal Expansion



Resistance To Thermal Shock



Crazing Resistance



Frost Resistance



Resistance To Chemicals and Acids and Alkalis



Resistance To Staining



Colour Resistance to UV Light



Surface Quality



Length & Width



Thickness



Straightness Of Sides



Rectangularity



Surface Flatness



Water Absorption

**BRIEFLY** به طور خلاصه به طور خلاصه **BRIEFLY** 





150 x 300

Matt Surface



Matt Surface





