


COLLECTIONS
2023

**SLAB
BOOK. 23**



WALL: AMAZONITE BLUE 120x260x0.9
BOOKMATCH: BUTTERFLY 120x260x0.9
DARK WALL & FLOOR SECTION: SLATE ANTHRACITE 80x120x1.2
PUFF FURNITURE: BUTTERFLY DESIGN


Amazonite
Blue



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

REGULAR PATTERN 120x240 cm - 47"x54"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface finish	Number of boxes
120x240 cm - 47"x54"	5 mm	POLISHED	3 faces
120x260 cm - 47"x102"	5 mm	POLISHED	3 faces

COLOR RANGE & CODES

AMAZONITE green	5155	AMAZONITE blue	5215
-----------------	------	----------------	------

PACKING INFORMATION


SIZES	THICKNESS	SURFACES	PCS / BOX						NO. / BOX PALLET					
			PCS / BOX	MM / PCS	KG / PCS	NO. / BOX PALLET	MM / BOX PALLET	KG / BOX PALLET	PCS / BOX	MM / PCS	KG / PCS	NO. / BOX PALLET	MM / BOX PALLET	KG / BOX PALLET
120x240 cm 47"x54"	5 mm	POLISHED	1 PCS	M ² 2.88 SQ. FT. 31	KG. 63 LBS. 139	35 PCS	M ² 100.8 SQ. FT. 1085	KG. 2205 LBS. 4861	1 PCS	M ² 2.88 SQ. FT. 31	KG. 63 LBS. 139	35 PCS	M ² 100.8 SQ. FT. 1085	KG. 2205 LBS. 4861
120x260 cm 47"x102"	5 mm	POLISHED	1 PCS	M ² 3.12 SQ. FT. 33.5	KG. 69 LBS. 152	33 PCS	M ² 102.96 SQ. FT. 1108	KG. 2277 LBS. 5028	1 PCS	M ² 3.12 SQ. FT. 33.5	KG. 69 LBS. 152	33 PCS	M ² 102.96 SQ. FT. 1108	KG. 2277 LBS. 5028

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



WALL: AMAZONITE GREEN 120x260x0.9
FLOOR : AMAZONITE GREEN 120x260x0.9


Amazonite
Green



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

REGULAR PATTERN 120x240 cm - 47"x54"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Sizes	Thickness	Surface finish	Number of boxes
120x240 cm - 47"x54"	5 mm	POLISHED	3 boxes
120x260 cm - 47"x102"	5 mm	POLISHED	3 boxes

COLOR RANGE & CODES

AMAZONITE Green	5155	AMAZONITE Blue	5215
-----------------	------	----------------	------

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX						SQ. FT.					
			PCS / BOX	MM / PCS	KG / PCS	KG / BOX PALETTE	MM BOX PALETTE	KG / BOX PALETTE	KG / BOX PALETTE	KG / BOX PALETTE	KG / BOX PALETTE	KG / BOX PALETTE	KG / BOX PALETTE	KG / BOX PALETTE
120x240 cm 47"x54"	5 mm	POLISHED	1 PCS	M ² 2.88 SQ. FT. 31	KG. 63 LBS. 139	35 PCS	M ² 100.8 SQ. FT. 1085	KG. 2205 LBS. 4861	KG. 2205 LBS. 4861	KG. 2205 LBS. 4861	KG. 2205 LBS. 4861	KG. 2205 LBS. 4861	KG. 2205 LBS. 4861	KG. 2205 LBS. 4861
120x260 cm 47"x102"	5 mm	POLISHED	1 PCS	M ² 3.12 SQ. FT. 33.5	KG. 69 LBS. 152	33 PCS	M ² 102.96 SQ. FT. 1108	KG. 2277 LBS. 5028	KG. 2277 LBS. 5028	KG. 2277 LBS. 5028	KG. 2277 LBS. 5028	KG. 2277 LBS. 5028	KG. 2277 LBS. 5028	KG. 2277 LBS. 5028

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.

Butterfly
COLLECTION



BOOKMATCH : BUTTERFLY 120x260x0,9
FLOOR : PIER CORTEN 120x120x0,9

Butterfly
COLLECTION




PORCELAIN STONEWARE - NORMAL BODY

A B



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

BOOK MATCHING



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Faces
120x260 cm x 4,75x118"	12 mm	POLISHED	2 FACES



SPECIAL KITS
FOURMATCH




Layout 1



Layout 2

KIT ENDLESS



COLOR RANGE & CODES




PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX						NO. / BOX PALLET					
			120x260 CM		120x260 CM		120x260 CM		120x260 CM		120x260 CM		120x260 CM	
120x260 CM 47x118"	12 mm	POLISHED	1 PCS	MP	3.12	KG	69		22 PCS	MP	132.96	KG	2277	
				SQ. FT.	33.5	LBS.	152			SQ. FT.	1100	LBS.	5020	

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.





Calacatta
Gold



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



BOOKMATCH : CALACATTA GOLD 120x260x0,9
FLOOR : VENICE 120x120x0,9



SPECIAL KITS
BOOKMATCH

120x240 cm - 47"x54" 120x260 cm - 47"x102"



COLOR RANGE & CODES

CALACATTA GOLD	5105	CALACATTA GOLD BookMatch Face A	5110	CALACATTA GOLD BookMatch Face B	5115
----------------	------	---------------------------------	------	---------------------------------	------


PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX						SQ. FT. / BOX					
			PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG
120x240 cm 47"x54"	9mm THICKNESS	MATTE - POLISHED	1 PCS	1,44	32	32	46,8	1440	45 PCS	51,84	1152	45 PCS	64,8	1440
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	2,88	63	63	100,8	2205	35 PCS	100,8	2205	35 PCS	100,8	2205
120x250 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	3,12	69	69	102,96	2277	33 PCS	102,96	2277	33 PCS	102,96	2277
150x300 cm 59"x118"	9mm THICKNESS	POLISHED	1 PCS	4,5	100	100	144	3200	22 PCS	144	3200	22 PCS	144	3200

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.




Calacatta
Velvet



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY




→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.

Caravaggio



WALL: CARAVAGGIO BLACK 120x260x0.9
BOOKMATCH : MARVEL 120x260x0.9

Caravaggio
Black



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface finish	Number of boxes
120x260 cm - 47"x102"	5 mm	POLISHED	3 boxes

COLOR RANGE & CODES


CARAVAGGIO BROWN	5160	CARAVAGGIO BLACK	5165
------------------	------	------------------	------

SIZES	THICKNESS	SURFACES	PCS / BOX					
			PCS / BOX	ME / PCS	KG / PCS	BOX / BOX PALLET	ME / BOX PALLET	KG / BOX PALLET
120x260 cm 47"x102"	5mm THICKNESS	POLISHED	1 PCS	ME 3,12 SQ. FT. 33	KG 69 LBS 152	33 PCS	ME 102,06 SQ. FT. 1108	KG 2277 LBS 5070

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.

Caravaggio

Brown




8
NUMBER OF PLATES

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Sizes	Thickness	Surface finish	Number of boxes
120x260 cm - 47"x102"	5 mm	POLISHED	3 boxes

COLOR RANGE & CODES

CARAVAGGIO BROWN	5160	CARAVAGGIO BLACK	5165
------------------	------	------------------	------

SIZES	THICKNESS	SURFACES	PCS / BOX					
			PCS / BOX	ME / PCS	KG / PCS	BOX / BOX PALLET	ME / BOX PALLET	KG / BOX PALLET
120x260 cm 47"x102"	5mm THICKNESS	POLISHED	1 PCS	ME 3.12 SQ. FT. 33	KG 69 LBS 152	33 PCS	ME 102.06 SQ. FT. 1108	KG 2277 LBS 5070


- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

Carrara



WALL: CARRARA 120x240x0.9
FLOOR: SHERWOOD 20x120x1.1

Carrara



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



REGULAR PATTERN 120x240 cm - 47"x54"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface finish	Number of faces
120x120 cm - 24"x48"	2-5 mm	POLISHED	15 Faces
120x240 cm - 47"x54"	2-5 mm	POLISHED	9 Faces

**SPECIAL KITS
BOOKMATCH** 120x240 cm - 47"x54"





Layout 1 **Layout 2**

COLOR RANGE & CODES			
CARRARA	5240	CARRARA Book Match Face A	5245
		CARRARA Book Match Face B	5250

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



SQUARE PATTERN 120x120 cm - 48"x48"



CARRARA

5240

SIZES	THICKNESS	SURFACES	PCS / BOX						NO. / PCS					
			PCS / BOX	M ² / PCS	NO. / PCS	BOX / BOX PALLET	NO. BOX PALLET	KG / BOX PALLET	PCS / BOX	M ² / PCS	NO. / PCS	BOX / BOX PALLET	NO. BOX PALLET	KG / BOX PALLET
120x120 cm 48"x48"	10mm THICKNESS	POLISHED	1 PCS	M ² 1.44 SQ. FT. 15.5	KG 32 LBS. 70.5	48 PCS	VP 54.0 SQ. FT. 662.5	KG 1440 LBS. 3175	1 PCS	M ² 2.88 SQ. FT. 31	KG 63 LBS. 139	35 PCS	VP 100.8 SQ. FT. 1085	KG 2265 LBS. 5061


→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.

Crystal
White



WALL : CRYSTAL WHITE 120x240x0,9
FLOOR : METALUX SMOKY 120x260x0,9

Crystal
White



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



REGULAR PATTERN 120x240 cm - 47"x54"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface finish	Number of boxes
120x240 cm - 47"x54"	5 mm	POLISHED	3 Boxes

COLOR RANGE & CODE

CRYSTAL WHITE 5090

PACKING INFORMATION

SIZE	THICKNESS	SURFACES	PCS / BOX	NET PCS	KG / PCS	BOX / BOX PALLET	NET BOX PALLET	KG / BOX PALLET
120x240 cm 47"x54"	THICKNESS	POLISHED	1 PCS	MP 2.88	KG 63	35 PCS	MP 100.8	KG 2205
				SQ. FT. 31	LBS. 139		SQ. FT. 1685	LBS. 4861

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.


GIGA
COLLECTION





WALL: GIGA GRAY 120x260x0,9
FLOOR : GIGA GRAY BOOK MATCH 120x260x0,9


GIGA
Gray



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

REGULAR PATTERN 120x240 cm - 47"x84" 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Sizes	Thickness	Surface finish	Number of boxes
120x240 cm - 47"x84"	2 5 mm	POLISHED	3 Faces
120x260 cm - 47"x102"	2 5 mm	POLISHED	3 Faces

SPECIAL KITS
4 Match

DIAMOND BOOK MATCHING



COLOR RANGE & CODES


GIGA Gold	5040	GIGA Gray	5045	GIGA Gold Book Match	5050
GIGA Gray 4 Match Face 1	5070	GIGA Gray 4 Match Face 2	5075	GIGA Gray Book Match	5055

PACKING INFORMATION

PACKING INFORMATION			PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
SIZES	THICKNESS	SURFACES												
120x240 cm 47"x19"	10mm THICKNESS	POLISHED	1 PCS	M ² 2.88 SQ. FT. 31	KG 63 LBS. 139	35 PCS	M ² 100.8 SQ. FT. 1085	KG 2205 LBS. 4861						
120x260 cm 47"x102"	10mm THICKNESS	POLISHED	1 PCS	M ² 3.12 SQ. FT. 33.5	KG 69 LBS. 152	33 PCS	M ² 103.96 SQ. FT. 1108	KG 2277 LBS. 5028						

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.


GIGA
Gold



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY


REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface finish	Number of boxes
120x240 cm - 47"x94"	2 6 mm	POLISHED	3 Faces
120x260 cm - 47"x102"	2 6 mm	POLISHED	3 Faces

SPECIAL KITS
BOOKMATCH 120x240 cm - 47"x94" 120x260 cm - 47"x102"



PACKING INFORMATION

PACKING INFORMATION			PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
SIZES	THICKNESS	SURFACES												
120x240 cm 47"x94"	6mm THICKNESS	POLISHED	1 PCS	M ² 2.88 SQ. FT. 31	KG. 63 LBS. 139	35 PCS	M ² 100.8 SQ. FT. 1085	KG. 2205 LBS. 4861						
120x260 cm 47"x102"	6mm THICKNESS	POLISHED	1 PCS	M ² 3.12 SQ. FT. 33.5	KG. 69 LBS. 152	33 PCS	M ² 102.96 SQ. FT. 1108	KG. 2277 LBS. 5026						

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.

Legend
COLLECTION



BOOKMATCH : LEGEND 150x300x0,9
COUNTER : PULPIS BROWN 120x260x0,9

Legend
COLLECTION



PORCELAIN STONEWARE - NORMAL BODY

A B

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

BOOKMATCHING 120x240 cm - 47"x54"

Icons: Hand, Knife, Hammer, Saw, Blade, Mallet, Wheel

Size: 120x240 cm - 47"x54"

Thickness: 5 mm

Surface finish: POLISHED

Number of sides: 2 Faces

Icons: Book, Match

SPECIAL KITS BOOKMATCH 120x240 cm - 47"x54"

Icons: Hand, Knife, Hammer, Saw, Blade, Mallet, Wheel

Size: 120x240 cm - 47"x54"

Thickness: 5 mm

Surface finish: POLISHED

Number of sides: 2 Faces

Icons: Book, Match

Layout 1: A B

Layout 2: A B

COLOR RANGE & CODES

LEGEND Book Match Face A **5335**

LEGEND Book Match Face B **5340**

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M ² / PCS	KG / PCS	BOX / BOX PALLET	M ² / BOX PALLET	KG / BOX PALLET
120x240 cm 47"x54"	5mm THICKNESS	POLISHED	1 PCS	M ² 2.88 SQ. FT. 31	KG. 63 LBS. 139	35 PCS	M ² 100.8 SQ. FT. 108	KG. 2205 LBS. 486
150x300 cm 59"x118"	5mm THICKNESS	POLISHED	1 PCS	M ² 15 SQ. FT. 48.5	KG. 303 LBS. 220	22 PCS	M ² 99 SQ. FT. 1065.6	KG. 7700 LBS. 4850

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



FLOOR : MAGMA GRAY 120x120x0,9
WALL : MAGMA ANTHRACITE 120x260x0,9
COUNTER : MAGMA ANTHRACITE 120x260x0,9

Magma
ANTHRACITE


SHADE
SPECTRUM





WALL : MAGMA ANTHRACITE 120x260x0,9
FLOOR : METALUX MINT 120x120x0,9

Magma
GRAY




100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



REGULAR PATTERN 120x260 cm - 47"x102"



MAGMA GRAY

5255

COLOR RANGE & CODES

MAGMA GRAY	5255	MAGMA ANTHRACITE	5260
------------	------	------------------	------

SIZES	THICKNESS	SURFACES	PCS / BOX					
			1 PCS	MP	KG	BOX / BOX PALLET	MP / BOX PALLET	KG / BOX PALLET
120x120 cm 47"x47"	6mm THICKNESS	MULTI	1 PCS	MP 1,44 SQ. FT. 15,5	KG. 32 LBS. 70,5	45 PCS	MP 64,8 SQ. FT. 697,5	KG. 1440 LBS. 3175
120x260 cm 47"x102"	6mm THICKNESS	MULTI	1 PCS	MP 3,12 SQ. FT. 33,5	KG. 99 LBS. 162	33 PCS	MP 102,96 SQ. FT. 1108	KG. 2277 LBS. 5020

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.





PORCELAIN STONEWARE - NORMAL BODY

A B

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

REGULAR PATTERN

150x300 cm - 59"x118"

Size	Thickness	Surface finish	Number of faces
120x120 cm - 24"x48"	5 mm	POLISHED - MATT	15 Faces
120x240 cm - 47"x54"	5 mm	POLISHED	3 Faces
120x260 cm - 47"x102"	5 mm	POLISHED - MATT	3 Faces
150x300 cm - 59"x118"	5 mm	POLISHED - MATT	4 Faces

The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

SPECIAL KITS
BOOKMATCH

150x300 cm - 59"x118"
120x240 cm - 47"x54"

REGULAR PATTERN

120x240 cm - 47"x54" 120x260 cm - 47"x102"

COLOR RANGE & CODES

MARVEL	5345	MARVEL Book Match Face A	5350	MARVEL Book Match Face B	5355
--------	------	--------------------------	------	--------------------------	------

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



PACKING INFORMATION


PACKING INFORMATION			PCS / BOX												BOX / BOX PALLET												M ² / BOX PALLET												KG / BOX PALLET											
SIZES	THICKNESS	SURFACES																																																
				M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG	M ²	KG																			
120x120 cm 47 1/4x47 1/4"	9mm THICKNESS	POLISHED - UNITI	1 PCS	M ² 1,44	KG 32							45 PCS	M ² 64,8	KG 1440											M ² 64,8	KG 1440																								
				SQ. FT. 15,5	LBS. 70,5								SQ. FT. 697,5	LBS. 3175												SQ. FT. 697,5	LBS. 3175																							
120x160 cm 47 1/4x63"	9mm THICKNESS	POLISHED	1 PCS	M ² 2,88	KG 63							35 PCS	M ² 100,8	KG 2205												M ² 100,8	KG 2205																							
				SQ. FT. 31	LBS. 139								SQ. FT. 1085	LBS. 4861												SQ. FT. 1085	LBS. 4861																							
120x260 cm 47 1/4x102"	9mm THICKNESS	POLISHED - UNITI	1 PCS	M ² 5,12	KG 69							22 PCS	M ² 102,96	KG 2277												M ² 102,96	KG 2277																							
				SQ. FT. 55,5	LBS. 152								SQ. FT. 1109	LBS. 5020												SQ. FT. 1109	LBS. 5020																							
150x300 cm 59 x 118"	9mm THICKNESS	POLISHED - UNITI	1 PCS	M ² 2,25	KG 100							22 PCS	M ² 99	KG 2200												M ² 99	KG 2200																							
				SQ. FT. 46,5	LBS. 220								SQ. FT. 1064,6	LBS. 4856												SQ. FT. 1064,6	LBS. 4856																							

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



WALL : METALUX GRAPHITE 120x260x0,9
FLOOR : METALUX SMOKY 120x260x0,9


Metalux
Graphite



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN



REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Boxes
120x120 cm - 47"x47"	9 mm	MAT - SAMELUX	16 Boxes
120x260 cm - 47"x102"	9 mm	SAMELUX	8 Boxes

COLOR RANGE & CODES

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

PACKING INFORMATION

SIZE	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
			1 PCS		1 PCS		1 PCS		45 PCS		45 PCS		45 PCS	
120x120 cm 47"x47"	9mm THICKNESS	MAT - SAMELUX	1 PCS		M ² 1.44	KG 32					M ² 64.8	KG 1440		
120x260 cm 47"x102"	9mm THICKNESS	SAMELUX	1 PCS		M ² 15.5	KG 79.5					SQ. FT. 697.5	LBS. 3175		
					M ² 3.12	KG 49					M ² 102.96	KG 2277		
									33 PCS		SQ. FT. 1168	LBS. 5070		


→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.

Metalux
COLLECTION



WALL : METALUX MINT 120x260x0,9
FLOOR : PIER CORTEN 120x120x0,9

Metalux
Mint



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN



REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Boxes
120x120 cm - 47"x47"	9 mm	MATTE - SEMILUX	16 Boxes
120x260 cm - 47"x102"	9 mm	SEMILUX	8 Boxes

COLOR RANGE & CODES

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
MetalUX Smoky	5290				

PACKING INFORMATION


SIZE	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
120x120 cm 47"x47"	9mm THICKNESS	MATTE - SEMILUX	1 PCS		M ²	1.44	KG	32	45 PCS		M ²	64.8	KG	1440
					SQ. FT.	15.5	LBS.	70.5			SQ. FT.	697.5	LBS.	3175
120x260 cm 47"x102"	9mm THICKNESS	SEMILUX	1 PCS		M ²	3.12	KG	69	33 PCS		M ²	102.96	KG	2277
					SQ. FT.	33.5	LBS.	152			SQ. FT.	1108	LBS.	5070

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



WALL : METALUX NAVY 120x260x0,9
FLOOR : METALUX SMOKY 120x120x0,9

Metalux
NAVY



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee conformity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Pieces
120x260 cm - 47"x102"	10 mm	SPINILLUX	8 Pieces

COLOR RANGE & CODES

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
MetalUX Smoky	5290				

PACKING INFORMATION


SIZES	THICKNESS	SURFACES	PCS / BOX	M / PCS	KG / PCS	BOX / BOX PALLET	MP / BOX PALLET	KG / BOX PALLET
120x260 cm 47"x102"	10 mm	SMOOTH	1 PCS	M ³ 3.12 SQ. FT. 33.5	KG. 69 LBS. 152	33 PCS	M ³ 102.96 SQ. FT. 1108	KG. 2277 LBS. 5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



FACADE : METALUX SMOKY 120x260x0.9


Metalux
Smoky



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN



REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Boxes
120x120 cm - 47"x47"	9 mm	MATTE - SEMILUX	16 Boxes
120x260 cm - 47"x102"	9 mm	SEMILUX	8 Boxes

COLOR RANGE & CODES

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

PACKING INFORMATION

SIZE	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
			1 PCS		1 PCS		1 PCS		45 PCS		45 PCS		45 PCS	
120x120 cm 47"x47"	9mm THICKNESS	MATTE - SEMILUX	1 PCS		M ² 1.44		KG 32		45 PCS		M ² 64.8		KG 1440	
					SQ. FT. 15.5		LBS. 70.5				SQ. FT. 697.5		LBS. 3175	
120x260 cm 47"x102"	9mm THICKNESS	SEMILUX	1 PCS		M ² 3.12		KG 49		33 PCS		M ² 102.96		KG 2277	
					SQ. FT. 33.5		LBS. 102				SQ. FT. 1102		LBS. 5020	

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.


Midnight
COLLECTION





WALL : MIDNIGHT 150x300x0,9
FLOOR : VENICE 120x120x0,9

Midnight
COLLECTION



PORCELAIN STONEWARE - NORMAL BODY

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

REGULAR PATTERN 150x300 cm - 59"x118"

The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Size	Thickness	Surface finish	Number of boxes
120x240 cm - 47"x95"	2 mm	MATT - POLISHED	513095
120x260 cm - 47"x102"	2 mm	MATT - POLISHED	513095
150x150 cm - 59"x59"	2 mm	MATT	513095
150x300 cm - 59"x118"	2 mm	MATT - POLISHED	513095

REGULAR PATTERN 120x260 cm - 47"x102"

COLOR RANGE & CODE

MIDNIGHT


5085



PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX						BOX / BOX PALLET						MP / BOX PALLET						KG / BOX PALLET					
			PCS		M ²		KG		SQ. FT.		PCS		M ²		KG		SQ. FT.		PCS		M ²		KG		SQ. FT.	
120x240 cm 47"x95"	2mm THICKNESS	MATT - POLISHED	1 PCS		M ² 2.88		KG 63		SQ. FT. 31		33 PCS		M ² 100.8		KG 2245		SQ. FT. 1085		LBS. 4864							
120x260 cm 47"x102"	2mm THICKNESS	MATT - POLISHED	1 PCS		M ² 3.12		KG 69		SQ. FT. 33.5		33 PCS		M ² 102.06		KG 2277		SQ. FT. 1108		LBS. 5020							
150x150 cm 59"x59"	2mm THICKNESS	MATT	1 PCS		M ² 2.25		KG 50		SQ. FT. 24.2		45 PCS		M ² 101.25		KG 2350		SQ. FT. 1050		LBS. 4960							
150x300 cm 59"x118"	2mm THICKNESS	MATT - POLISHED	1 PCS		M ² 4.5		KG 100		SQ. FT. 48.5		22 PCS		M ² 99		KG 2200		SQ. FT. 1065.6		LBS. 4850							

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.




— The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
— Inside the pallet foam is placed between the slabs.

Onyx
WHITE



WALL : ONYX WHITE 150x300x0,9
FLOOR : ONYX WHITE 120x240x0,9

Onyx
WHITE



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



COLOR RANGE & CODE

ONYX WHITE 5135


PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX						BOX / BOX PALLET						M ² / BOX PALLET					
			PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG
120x120 cm 47"x48"	3mm THICKNESS	POLISHED	1 PCS	1.44	32	45 PCS	64.8	1440	1 PCS	1.44	32	45 PCS	64.8	1440	1 PCS	1.44	32	45 PCS	64.8	1440
120x240 cm 47"x54"	3mm THICKNESS	POLISHED	1 PCS	2.88	63	35 PCS	100.8	2205	1 PCS	2.88	63	35 PCS	100.8	2205	1 PCS	2.88	63	35 PCS	100.8	2205
150x300 cm 59"x118"	3mm THICKNESS	POLISHED	1 PCS	4.5	100	22 PCS	99	2200	1 PCS	4.5	100	22 PCS	99	2200	1 PCS	4.5	100	22 PCS	99	2200

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



Pier
CORTEN




100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

REGULAR PATTERN

150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	12 mm	SMALL	16 Faces
150x150 cm - 59"x59"	9 mm	MAT	8 Faces
150x300 cm - 59"x118"	9 mm	MAT	4 Faces

COLOR RANGE & CODES


PIER Iron	5000	PIER Corten	5005	PIER Zinc	5010
PIER Steel	5015				

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
120x120 cm 47"x47"	12mm THICKNESS	SMALL	1 PCS		M ² : 1.44	KG: 32			45 PCS		M ² : 64.8	KG: 1440		
					SQ. FT.: 15.5	LBS.: 79.5					SQ. FT.: 697.5	LBS.: 3175		
150x150 cm 59"x59"	9mm THICKNESS	MAT	1 PCS		M ² : 2.25	KG: 58			45 PCS		M ² : 101.25	KG: 2250		
					SQ. FT.: 24.2	LBS.: 110					SQ. FT.: 1090	LBS.: 4960		
150x300 cm 59"x118"	9mm THICKNESS	MAT	1 PCS		M ² : 4.5	KG: 100			22 PCS		M ² : 99	KG: 2200		
					SQ. FT.: 48.5	LBS.: 220					SQ. FT.: 1065.6	LBS.: 4850		


→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.

Pier
IRON



PORCELAIN STONEWARE - NORMAL BODY

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN




COLOR RANGE & CODES

PIER Iron	5000	PIER Corten	5005	PIER Zinc	5010
PIER Steel	5015				

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	MATT - SEMI-GLAZ	1 PCS	M ² 1.44 SQ. FT. 15.5	KG 32 LBS. 70.5	45 PCS	M ² 64.8 SQ. FT. 697.5	KG 1440 LBS. 3175						
120x240 cm 47"x95"	9mm THICKNESS	MATT - SEMI-GLAZ	1 PCS	M ² 2.88 SQ. FT. 31	KG 64 LBS. 139	22 PCS	M ² 100.8 SQ. FT. 1088	KG 2205 LBS. 4861						
150x150 cm 59"x59"	9mm THICKNESS	MATT	1 PCS	M ² 2.25 SQ. FT. 24.2	KG 59 LBS. 110	45 PCS	M ² 101.25 SQ. FT. 1090	KG 2250 LBS. 4960						
150x300 cm 59"x118"	9mm THICKNESS	MATT	1 PCS	M ² 4.5 SQ. FT. 48.5	KG 100 LBS. 220	22 PCS	M ² 99 SQ. FT. 1065.6	KG 2200 LBS. 4850						

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



PORCELAIN STONEWARE - NORMAL BODY

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

REGULAR PATTERN

150x300 cm - 59"x118"

A

B

C

D

The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	12 mm	MATTE - STONEWARE	16 Faces
120x240 cm - 47"x95"	12 mm	MATTE - STONEWARE	8 Faces
120x360 cm - 47"x142"	12 mm	MATTE	8 Faces
150x150 cm - 59"x59"	12 mm	MATTE	8 Faces
150x300 cm - 59"x118"	12 mm	MATTE	4 Faces

COLOR RANGE & CODES


PIER Iron	5000	PIER Corten	5005	PIER Zinc	5010
PIER Steel	5015				

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
120x120 cm - 47"x47"	12mm THICKNESS	MATTE - STONEWARE	1 PCS	M ² 1,44 SQ. FT. 15,5	KG. 32 LBS. 70,5	45 PCS	M ² 64,8 SQ. FT. 697,5	KG. 1440 LBS. 3175						
120x240 cm - 47"x95"	12mm THICKNESS	MATTE - STONEWARE	1 PCS	M ² 2,88 SQ. FT. 31	KG. 64 LBS. 139	35 PCS	M ² 100,8 SQ. FT. 1085	KG. 2205 LBS. 4861						
120x360 cm - 47"x142"	12mm THICKNESS	MATTE	1 PCS	M ² 5,12 SQ. FT. 55	KG. 69 LBS. 152	22 PCS	M ² 102,96 SQ. FT. 1108	KG. 2277 LBS. 5020						
150x150 cm - 59"x59"	12mm THICKNESS	MATTE	1 PCS	M ² 2,25 SQ. FT. 24,2	KG. 50 LBS. 110	45 PCS	M ² 101,25 SQ. FT. 1090	KG. 2250 LBS. 4960						
150x300 cm - 59"x118"	12mm THICKNESS	MATTE	1 PCS	M ² 4,5 SQ. FT. 48,5	KG. 100 LBS. 220	22 PCS	M ² 99 SQ. FT. 1065,6	KG. 2200 LBS. 4850						


- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

Pier
ZINC



PORCELAIN STONEWARE - NORMAL BODY

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN



COLOR RANGE & CODES

PIER Iron	5000	PIER Corten	5005	PIER Zinc	5010
PIER Steel	5015				

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
			Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon
120x120 cm 47"x47"	12mm THICKNESS	WHT - SEMI-GLAZED	1 PCS	M ² 1.44 SQ. FT. 15.5	KG 32 LBS. 70.5	32	45 PCS	M ² 64.8 SQ. FT. 697.5	KG 1440 LBS. 3175					
120x240 cm 47"x95"	12mm THICKNESS	WHT - SEMI-GLAZED	1 PCS	M ² 2.88 SQ. FT. 31	KG 64 LBS. 139	64	35 PCS	M ² 100.8 SQ. FT. 1085	KG 2205 LBS. 4861					
120x260 cm 47"x102"	12mm THICKNESS	MATTE	1 PCS	M ² 3.12 SQ. FT. 33.5	KG 69 LBS. 152	69	22 PCS	M ² 102.96 SQ. FT. 1108	KG 2277 LBS. 5020					
150x150 cm 59"x59"	12mm THICKNESS	MATTE	1 PCS	M ² 2.25 SQ. FT. 24.2	KG 50 LBS. 110	50	45 PCS	M ² 101.25 SQ. FT. 1090	KG 2250 LBS. 4960					
150x300 cm 59"x118"	12mm THICKNESS	SEMIGL.	1 PCS	M ² 4.5 SQ. FT. 48.5	KG 100 LBS. 220	100	22 PCS	M ² 99 SQ. FT. 1065.6	KG 2200 LBS. 4850					

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.

Pietra
COLLECTION



BOOKMATCH : PIETRA 120x260x0,9
FLOOR : MARVEL 120x120x0,9




PORCELAIN STONEWARE - NORMAL BODY

A B

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

BOOK MATCHING




The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veirings of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Pieces
120x250 cm - 47"x102"	9 mm	MATT	2 Faces
150x300 cm - 59"x118"	9 mm	MATT	2 Faces

SPECIAL KITS
BOOKMATCH

120x250 cm - 47"x102" 150x300 cm - 59"x118"



COLOR RANGE & CODES



PACKING INFORMATION


SIZES	THICKNESS	SURFACES	PCS / BOX						BOX / BOX PALLET					
			120x250 cm		150x300 cm		120x250 cm		150x300 cm		120x250 cm		150x300 cm	
120x250 cm 47"x102"	9 mm THICKNESS	MATT	1 PCS	M ² 3,12 SQ. FT. 33,5	KG 69 LBS. 152	22 PCS	120x250 cm	M ² 102,96 SQ. FT. 1108	KG 2277 LBS. 5020	22 PCS	120x250 cm	M ² 99 SQ. FT. 1065,6	KG 2200 LBS. 4850	22 PCS
150x300 cm 59"x118"	9 mm THICKNESS	MATT	1 PCS	M ² 4,5 SQ. FT. 48,5	KG 100 LBS. 220	22 PCS	150x300 cm	M ² 165,6 SQ. FT. 1791,6	KG 4850 LBS. 10700	22 PCS	150x300 cm	M ² 165,6 SQ. FT. 1791,6	KG 4850 LBS. 10700	22 PCS

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



LIGHT WALLS : PRIME 150x300x0,9
FLOOR : PRIME 120x120x0,9
FIREPLACE WALL : THUNDER 120x260x0,9
SLIDING WALLS : MIDNIGHT 120x240x0,9

Prime
IVORY



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Sizes	Thickness	Surface finish	Number of faces
120x120 cm - 24"x48"	5 mm	POLISHED	15 Faces
120x240 cm - 47"x54"	5 mm	POLISHED	9 Faces
120x260 cm - 47"x102"	5 mm	POLISHED	3 Faces
150x300 cm - 59"x118"	5 mm	POLISHED	4 Faces

COLOR RANGE & CODE

PRIME IVORY 5305

PACKING INFORMATION

PACKING INFORMATION			PCS / BOX												M ² / PCS												KG / PCS												BOX / BOX PALLET												M ² / BOX PALLET												KG / BOX PALLET											
SIZES	THICKNESS	SURFACES	1 PCS				45 PCS				35 PCS				22 PCS				45 PCS				35 PCS				22 PCS																																															
			PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG	PCS	M ²	KG																																													
120x120 cm 47"x48"	5mm THICKNESS	POLISHED	1 PCS	1.44	32	45 PCS	64.8	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440																																														
120x240 cm 47"x54"	5mm THICKNESS	POLISHED	1 PCS	2.88	63	35 PCS	100.8	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205	2205																																														
120x260 cm 47"x102"	5mm THICKNESS	POLISHED	1 PCS	5.12	69	22 PCS	102.96	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277	2277																																														
150x300 cm 59"x118"	5mm THICKNESS	POLISHED	1 PCS	4.5	100	22 PCS	99	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200																																														

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



WALL : PULPIS BROWN 120x260x0.9

Pulpis
COLLECTION




PORCELAIN STONEWARE - NORMAL BODY

A B

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veirings of the product may be subject to variations.

Sizes: 120x260 cm - 47"x102"
Thickness: 6 mm
Surface finish: POLISHED
Number of faces: 3 Faces

SPECIAL KITS
BOOKMATCH 120x260 cm - 47"x102"



Layout 1 Layout 2

COLOR RANGE & CODES


PULPIS Brown 5320	PULPIS Book Match Face A 5325	PULPIS Book Match Face B 5330
PULPIS Dark Gray 5440	PULPIS Lion 5445	

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		MT / PCS		KG / PCS		BOX / BOX PALETTE		MT / BOX PALETTE		KG / BOX PALETTE	
			1 PCS		MT		KG		33 PCS		MT		KG	
120x260 cm 47"x102"	6mm THICKNESS	POLISHED			3.12	33.5	69	152			102.96	1108	2277	5028

The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
Inside the pallet frame is placed between the slabs.


Pulpis
DARK GRAY



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

Pulpis
LION COLOR



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN


PORCELAIN STONEWARE - NORMAL BODY

Thunder
COLLECTION




WALL : THUNDER 150x300x0,9
FLOOR : CALACATTA GOLD 120x120x0,9

Thunder
COLLECTION



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



COLOR RANGE & CODE




PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	12mm THICKNESS	POLISHED	1 PCS	M ² 1,44 SQ. FT. 15,5	KG 32 LBS. 70,5	45 PCS	M ² 64,8 SQ. FT. 697,5	KG 1440 LBS. 3175	Icon	35 PCS	M ² 100,8 SQ. FT. 1085	KG 2205 LBS. 4861	Icon	2277 LBS. 5020
				M ² 2,88 SQ. FT. 31										
120x240 cm 47"x95"	12mm THICKNESS	POLISHED	1 PCS	M ² 3,12 SQ. FT. 33,5	KG 69 LBS. 152	22 PCS	M ² 102,96 SQ. FT. 1108	KG 2277 LBS. 5020	Icon	45 PCS	M ² 101,25 SQ. FT. 1090	KG 2250 LBS. 4960	Icon	2200 LBS. 4850
				M ² 2,25 SQ. FT. 24,2										
150x150 cm 59"x59"	12mm THICKNESS	POLISHED	1 PCS	M ² 4,5 SQ. FT. 48,5	KG 100 LBS. 220	22 PCS	M ² 99 SQ. FT. 1065,6	KG 2200 LBS. 4850	Icon	45 PCS	M ² 101,25 SQ. FT. 1090	KG 2250 LBS. 4960	Icon	2200 LBS. 4850
				M ² 2,25 SQ. FT. 24,2										

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



BOOKMATCH : MARVEL 150x300x0,9
FLOOR : THUNDER 120x120x0,9




→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet team is placed between the slabs.



FACADE: TOUCH DARK GRAY 120x260x0,9
FLOOR : TOUCH DARK GRAY 120x260x0,9



Touch
DARK GRAY



100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY


REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veining of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Boxes
120x120 cm - 47"x47"	2 mm	MATTE	16 Boxes
120x260 cm - 47"x102"	3 mm	MATTE	8 Boxes
150x300 cm - 59"x118"	5 mm	MATTE	4 Boxes

REGULAR PATTERN 120x260 cm - 47"x102"




COLOR RANGE & CODE

TOUCH Dark Gray 5020

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX						BOX / BOX PALLET					
			1 PCS	M ²	SQ. FT.	KG	PCS	45 PCS	M ²	SQ. FT.	KG	PCS	1440	3175
120x120 cm 47"x47"	2mm THICKNESS	MATT	1 PCS	M ² 1,44	SQ. FT. 15,5	KG 32	32	45 PCS	M ² 54,0	SQ. FT. 652,5	KG 102,05	EG 2277	1440	3175
120x260 cm 47"x102"	3mm THICKNESS	MATT	1 PCS	M ² 3,12	SQ. FT. 33,5	KG 69	69	33 PCS	M ² 102,05	SQ. FT. 1108	KG 2277	EG 5020	3375	7425
150x300 cm 59"x118"	5mm THICKNESS	MATT	1 PCS	M ² 4,5	SQ. FT. 48,5	KG 100	100	22 PCS	M ² 99	SQ. FT. 1065,6	KG 4850	EG 10656	2200	4850

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.




— The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
— Inside the pallet team is placed between the slabs.



WALL : UNICOLOR WHITE - ANTHRACITE120x260x0,9
FLOOR : VENICE 120x120x0,9


Unicolor
COLLECTION

Unicolor
COLLECTION



PORCELAIN STONEWARE - NORMAL BODY

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN



COLOR RANGE & CODES

UNICOLOR Black	5175	UNICOLOR White	5170	UNICOLOR Anthracite	5180
----------------	------	----------------	------	---------------------	------

PACKING INFORMATION

			PCS / BOX	M ² / PCS	KG / PCS	BOX / BOX PALLET	M ² / BOX PALLET	KG / BOX PALLET
SIZES	THICKNESS	SURFACES						
120x240 cm 47"x95"	9mm THICKNESS	MATT	1 PCS	M ² 2.88	KG 63	35 PCS	M ² 100.8	KG 2205
				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4881
120x260 cm 47"x102"	9mm THICKNESS	MATT	1 PCS	M ² 3.12	KG 69	33 PCS	M ² 102.96	KG 2277
				SQ. FT. 33.6	LBS. 152		SQ. FT. 1106	LBS. 5620
150x300 cm 59"x118"	9mm THICKNESS	MATT	1 PCS	M ² 4.5	KG 100	22 PCS	M ² 99	KG 2200
				SQ. FT. 48.5	LBS. 220		SQ. FT. 1065.6	LBS. 4850

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



WALL: VENICE 150x300x0,9
FLOOR: AMAZON ALMOND 20x120x0,9
WASHBASIN: THUNDER



Venice
COLLECTION

Venice
COLLECTION



PORCELAIN STONEWARE - NORMAL BODY

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN



COLOR RANGE & CODE



PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
			PCS	BOX	M ²	KG	M ²	KG	PCS	BOX	M ²	KG	PCS	BOX
120x120 cm - 47"x47"	9mm THICKNESS	MATT + POLISHED	1	PCS	M ² 1,44 SQ. FT. 15,5	KG. 32 LBS. 70,5	45	PCS	M ² 64,8 SQ. FT. 697,5	KG. 1440 LBS. 3175				
120x240 cm - 47"x95"	9mm THICKNESS	MATT + POLISHED	1	PCS	M ² 2,88 SQ. FT. 31	KG. 64 LBS. 139	35	PCS	M ² 100,8 SQ. FT. 1085	KG. 2205 LBS. 4861				
120x260 cm - 47"x102"	9mm THICKNESS	MATT + POLISHED	1	PCS	M ² 3,12 SQ. FT. 33,5	KG. 69 LBS. 152	22	PCS	M ² 102,96 SQ. FT. 1108	KG. 2277 LBS. 5020				
150x150 cm - 59"x59"	9mm THICKNESS	MATT	1	PCS	M ² 2,25 SQ. FT. 24,2	KG. 50 LBS. 110	45	PCS	M ² 101,25 SQ. FT. 1090	KG. 2250 LBS. 4960				
150x300 cm - 59"x118"	9mm THICKNESS	MATT + POLISHED	1	PCS	M ² 4,5 SQ. FT. 48,5	KG. 100 LBS. 220	22	PCS	M ² 99 SQ. FT. 1065,6	KG. 2200 LBS. 4850				

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



FLOOR : VENICE 120x120x0,9

SQUARE PATTERN 120x120 cm - 45 7/8x45 7/8"

16



VENICE

5025

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet team is placed between the slabs.


Volcano
COLLECTION



WALL: VOLCANO 150x300x0,9
FLOOR: VOLCANO 20x120x0,9
LIGHT WALL: CALACATTA GOLD 150x300x0,9

Volcano

COLLECTION





PORCELAIN STONEWARE - NORMAL BODY

A B

100% DESIGN AND
PRODUCTION PROCESS
OF ITALIAN




REGULAR PATTERN 150x300 cm - 59"x118"




The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Size	Thickness	Surface Finish	Number of Boxes
120x120 cm - 47"x47"	2 mm	POLISHED	16 Boxes
120x260 cm - 47"x102"	2 mm	POLISHED	8 Boxes
150x300 cm - 59"x118"	2 mm	POLISHED	4 Boxes

SPECIAL KITS BOOKMATCH 150x300 cm - 59"x118" 120x260 cm - 47"x102"




REGULAR PATTERN 120x260 cm - 47"x102"



COLOR RANGE & CODES

VOLCANO	5380	VOLCANO Book Match Face A	5385	VOLCANO Book Match Face B	5390
---------	------	---------------------------	------	---------------------------	------

→ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
→ Inside the pallet foam is placed between the slabs.



PACKING INFORMATION			PCS / BOX	M ² / PCS	KG / PCS	BOX / BOX PALLET	M ² / BOX PALLET	KG / BOX PALLET
SIZES	THICKNESS	SURFACES						
120x120 cm 48"x48"	9mm THICKNESS	POLISHED	1 PCS	M ² 1.44 SQ. FT. 15.5	KG 32 LBS. 70.5	48 PCS	M ² 64.0 SQ. FT. 697.5	KG 1440 LBS. 3175
120x260 cm 47 1/4"x102"	9mm THICKNESS	POLISHED	1 PCS	M ² 3.12 SQ. FT. 33.5	KG 69 LBS. 152	33 PCS	M ² 102.06 SQ. FT. 1108	KG 2277 LBS. 5020
150x300 cm 59"x118"	9mm THICKNESS	POLISHED	1 PCS	M ² 4.5 SQ. FT. 48.5	KG 100 LBS. 220	22 PCS	M ² 99 SQ. FT. 1066.6	KG 2200 LBS. 4850

⇒ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
⇒ Inside the pallet foam is placed between the slabs.



MAINTENANCE DURING BUILDING WORK

LAYING OR HANGING

The success of porcelain tile is not only due to the technical and aesthetic quality of the material, but to a number of other factors (surface to be covered, intermediate layers, adhesive, expansion joints...) making up an entire system.

FEATURES OF FLOOR OR WALL

Prior to laying or hanging ceramic tile, the floor or wall should be examined to ensure a stable base. The surface to be covered must be level, firm and free from substances which might prevent the adhesive from binding.

The main characteristics to consider are the finish and surface condition of the floor or wall, whether it is smooth and even, its capacity for water absorption, deformability and dimensional stability, reaction to water and humidity and its chemical compatibility with the adhesive to be used.

If the condition of the floor or wall fails to fulfil the requisites for laying or hanging, or major structural movement is foreseen, this should be solved by adequate treatment of the surface to be covered and/or insulation layers and suitable provision of dilation or movement joints intended to absorb the various degrees of pressure generated by movement of the substrates and structures.

In the case of recovering existing ceramic surfaces it is advisable to treat the surface in order to create areas which will help the product to adhere.

PLACING AND MOVEMENT JOINTS

Strict observance of the 9mm minimum joint between FLOOR TILES is essential, with a wider joint being recommended for medium and large formats, thus allowing absorption of the differential pressure produced in the multi-layer floor/adhesive/tile system.

For large surface areas it is advisable to divide the floor into 4 x 4 metre sections, introducing elastic expansion joints (partition joints).

In any case, it is wise to leave a gap between the flooring and existing elements such as walls, pillars and raised levels (perimeter joints), intended to prevent pressure from accumulating. This gap can be covered later by the skirting tile. The absence of these joints is usually one of the most frequent causes of loose floor tiles.

NOTICE TO INSTALLERS

During the design and installation stages the provision of all types of joints (structural, perimeter, intermediate) should be considered.

For technical reasons, tile installation, without joints is not recommended, as this is the cause of multiple defects and pathologies.

Please do not ever use any charcoal black grouts.

Right after the lay out, it's highly recommended to clean any remains of cement and grout with a commercial cement remover. Claims will not be accepted when the above conditions are not followed.

FEATURES OF PORCELAIN TILE: LAYING OR HANGING

TECHNIQUES AND ADHESIVES

Since these tile have a very low water absorption capacity, it is essential to use adhesives compatible with low porosity. The "thin bed" laying technique should be used, with adhesives suited to the open porosity of the tile and compatible with the surface to be covered. For non-residential applications it is advisable to use cement-like adhesives with a high polymeric resin content, dispersion adhesives or reagent adhesives, depending on the floor surface requirements and the atmospheric conditions. In any case, high levels of adherence, flexibility and good resistance to water can be considered normal demands, plus high chemical resistance for industrial applications.

These recommendations can also be applied to the grout, which is usually expected to be elastic and offer high mechanical and chemical resistance. To ensure a correct use of adhesives, the manufacturer's instructions for preparation and application must always be followed, respecting the times indicated. Owing to the low water absorption of glazed porcelain, which delays drying time for the adhesive being used, a 48-72 hour wait is recommended before subjecting the FLOOR TILES to normal use.

MAINTENANCE DURING BUILDING WORK

Since floor tiling is not the last job to be carried out in building work, once the tile have been installed it will be necessary to provide adequate protection against possible damage during subsequent work, covering them with cardboard, thick plastic or a layer of sawdust.

INITIAL CLEANING AFTER TILE LAYING

Dirt remaining after the completion of the work can be easily removed with a commercial scale remover or, failing this, an acid-based detergent, although the chemical resistance of the FLOOR TILES indicated by the manufacturer must be taken into account.

When using cleaning products the following general considerations should be taken into account :

- Acid cleaning should never be carried out on recently laid FLOOR TILES. The reaction of the acid with the unset cement may damage the joints or deposit insoluble compounds on the surface.

- Soaking the surface with clean water is recommended before treating with chemicals, thus preventing the grout from absorbing the agents being used. Rinse with water immediately afterwards to remove remains of the chemical products.

- Metal spatulas and abrasive scourers must not be used. Use sponges only, with natural sponge being the most suitable.

- This kind of operation should be carried out by experienced personnel, bearing in mind the specific features of the SLAB in question and the manufacturer's recommendations.

ORDINARY CARE

Day-to-day cleaning of stoneware tile is particularly simple, requiring only clean water to which an alkaline detergent may be added.

The use of waxes, oils or similar products is not recommended since the nonporous glazed surface prevents a correct application. Household stains may occasionally be produced that cannot be fully removed with a commercial detergent, making it necessary to use solvents or specific cleaning agents. First check the chemical resistance of the tile and, as an extra precaution, test-clean a spare tile or a less visible area first.

TECHNICAL CHARACTERISTICS - PORCELAIN TILES (BLA - GLAZE)

	Test Description	Standard Test Method	Standard Requirements	PALERMO Tiles Specifications
	Surface Quality	EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	A minimum of 95% of the tiles are to be free from visible defects
	Length & Width	EN ISO 10545-2	±0.5%	±0.5%
	Thickness	EN ISO 10545-2	±5%	±5%
	Straightness of sides	EN ISO 10545-2	±0.5%	±0.5%
	Rectangularity	EN ISO 10545-2	±0.5%	±0.2%
	Surface Flatness: Center Curvature	EN ISO 10545-2	±0.5%	±0.5%
	Surface Flatness: Edge Curvature	EN ISO 10545-2	±0.5%	±0.5%
	Surface Flatness: Warpage	EN ISO 10545-2	±0.5%	±0.2%
	Water Absorption	EN ISO 10545-3	≤0.5%	WA ≤ 0.4%
	Breaking Strength	EN ISO 10545-4	≥1300N	≥2400 N
	Modulus of Rupture	EN ISO 10545-4	≥35 N/mm ²	≥38 N/mm ²
	Resistance to surface abrasion	EN ISO 10545-7	Manufacturer to state classification	GLOSS: 1-2 MATTS: 3-4
	Linear Thermal Expansion	EN ISO 10545-8	Test method available	Test method available
	Resistance to thermal shock	EN ISO 10545-9	Test method available	Test method available
	Cracking Resistance	EN ISO 10545-11	Required	Required
	Frost Resistance	EN ISO 10545-12	Required	Required
	Resistance to Household Chemicals (according to EN 12868)	EN ISO 10545-13	Minimum: GB	GA
	Resistance to Low Concentrations Acids & Alkalis	EN ISO 10545-13	Manufacturer to state classification	CA
	Resistance to High Concentrations Acids & Alkalis	EN ISO 10545-13	-	GA
	Resistance to stains	EN ISO 10545-14	Minimum Class 3	Minimum Class 4